Ordinance 25-355 continued from page 9

thence South 36 Degrees 53 Minutes 29 Seconds East 14.01 feet to a point; thence South 34 Degrees 51 Minutes 47 Seconds East 14.01 feet to a point; thence South 32 Degrees 50 Minutes 11 Seconds East 14.01 feet to a point; thence South 30 Degrees 48 Minutes 30 Seconds East 14.01 feet to a point; thence South 28 Degrees 46 Minutes 48 Seconds East 14.01 feet to a point; thence South 26 Degrees 45 Minutes 19 Seconds East 14.01 feet to a point; thence South 24 Degrees 43 Minutes 37 Seconds East 14.01 feet to a point; thence South 22 Degrees 42 Minutes 00 Seconds East 14.01 feet to a point; thence South 20 Degrees 40 Minutes 17 Seconds East 14.01 feet to a point; thence South 47 Degrees 35 Minutes 26 Seconds West 90.75 feet to a point; thence South 37 Degrees 19 Minutes 05 Seconds East 414.48 feet to a point; thence South 10 Degrees 37 Minutes 31 Seconds East 63.98 feet to a point; thence South 02 Degrees 35 Minutes 39 Seconds East 23.12 feet to a point; thence South 01 Degree 26 Minutes 30 Seconds East 23.12 feet to a point; thence South 00 Degrees 17 Minutes 16 Seconds East 23.12 feet to a point; thence South 00 Degrees 51 Minutes 51 Seconds West 23.12 feet to a point; thence South 02 Degrees 01 Minute 08 Seconds West 23.12 feet to a point; thence South 03 Degrees 10 Minutes 17 Seconds West 23.12 feet to a point; thence South 04 Degrees 19 Minutes 30 Seconds West 23.12 feet to a point; thence South 05 Degrees 28 Minutes 44 Seconds West 23.12 feet to a point; thence South 06 Degrees 37 Minutes 53 Seconds West 23.12 feet to a point; thence South 02 Degrees 40 Minutes 34 Seconds West 56.87 feet to a point; thence South 04 Degrees 13 Minutes 20 Seconds East 22.10 feet to a point; thence South 03 Degrees 05 Minutes feet to a point; thence South 27 Degrees 48 Minutes 03 Seconds East 10.63 feet to a point; thence South 30 Degrees 21 Minutes 48 Seconds East 10.63 feet to a point; thence South 32 Degrees 55 Minutes 36 Seconds East 10.63 feet to a point; thence South 35 Degrees 29 Minutes 15 Seconds East 10.63 feet to a point; thence South 38 Degrees 03 Minutes 07 Seconds East 10.63 feet to a point; thence South 40 Degrees 36 Minutes 51 Seconds East 10.63 feet to a point; thence South 43 Degrees 10 Minutes 38 Seconds East 10.63 feet to a point; thence South 45 Degrees 44 Minutes 17 Seconds East 10.63 feet to a point; thence South 48 Degrees 18 Minutes 10 Seconds East 10.63 feet to a point; thence South 49 Degrees 03 Minutes 15 Seconds East 14.01 feet to a point; thence South 47 Degrees 01 Minute 40 Seconds East 14.01 feet to a point; thence South 45 Degrees 00 Minutes 00 Seconds East 14.01 feet to a point; thence South 42 Degrees 58 Minutes 17 Seconds East 14.01 feet to a point; thence South 40 Degrees 56 Minutes 52 Seconds East 14.01 feet to a point; thence South 38 Degrees 55 Minutes 02 Seconds East 14.01 feet to a point; thence South 36 Degrees 53 Minutes 29 Seconds East 14.01 feet to a point; thence South 34 Degrees 51 Minutes 47 Seconds East 14.01 feet to a point; thence South 32 Degrees 50 Minutes 11 Seconds East 14.01 feet to a point; thence South 30 Degrees 48 Minutes 30 Seconds East 14.01 feet to a point; thence South 28 Degrees 46 Minutes 48 Seconds East 14.01 feet to a point; thence South 26 Degrees 45 Minutes 19 Seconds East 14.01 feet to a point; thence South 24 Degrees 43 Minutes 37 Seconds East 14.01 feet to a point; thence South 22 Degrees 42 Minutes 00 Seconds East 14.01 feet to a point; thence South 20 Degrees 40 Minutes 17 Seconds East 14.01 feet to a point; thence South 47 Degrees 35 Minutes 26 Seconds West 90.75 feet to a point; thence South 37 Degrees 19 Minutes 05 Seconds East 414.48 feet to a point; thence South 10 Degrees 37 Minutes 31 Seconds East 63.98 feet to a point; thence South 02 Degrees 35 Minutes 39 Seconds East 23.12 feet to a point; thence South 01 Degree 26 Minutes 30 Seconds East 23.12 feet to a point; thence South 00 Degrees 17 Minutes 16 Seconds East 23.12 feet to a point; thence South 00 Degrees 51 Minutes 51 Seconds West 23.12 feet to a point; thence South 02 Degrees 01 Minute 08 Seconds West 23.12 feet to a point; thence South 03 Degrees 10 Minutes 17 Seconds West 23.12 feet to a point; thence South 04 Degrees 19 Minutes 30 Seconds West 23.12 feet to a point; thence South 05 Degrees 28 Minutes 44 Seconds West 23.12 feet to a point; thence South 06 Degrees 37 Minutes 53 Seconds West 23.12 feet to a point; thence South 02 Degrees 40 Minutes 34 Seconds West 56.87 feet to a point; thence South 04 Degrees 13 Minutes 20 Seconds East 22.10 feet to a point; thence South 03 Degrees 05 Minutes 07 Seconds East 22.10 feet to a point; thence South 01 Degree 56 Minutes 50 Seconds East 22.10 feet to a point; thence South 00 Degrees 48 Minutes 35 Seconds East 22.10 feet to a point; thence South 00 Degrees 19 Minutes 45 Seconds West 22.10 feet to a point; thence South 01 Degree 27 Minutes 59 Seconds West 22.10 feet to a point; thence South 02 Degrees 36 Minutes 18 Seconds West 22.10 feet to a point; thence South 03 Degrees 44 Minutes 35 Seconds West 22.10 feet to a point; thence South 04 Degrees 52 Minutes 48 Seconds West 22.10 feet to a point; thence South 06 Degrees 01 Minute 08 Seconds West 22.10 feet to a point; thence South 07 Degrees 09 Minutes 21 Seconds West 22.10 feet to a point; thence South 06 Degrees 24 Minutes 14 Seconds West 32.55 feet to a point; thence South 01 Degree 28 Minutes 01 Second West 44.44 feet to a point; thence South 11 Degrees 12 Minutes 17 Seconds East 12.95 feet to a point; thence South 08 Degrees 56 Minutes 34 Seconds East 12.95 feet to a point; thence South 06 Degrees 40 Minutes 53 Seconds East 12.95 feet to a point; thence South 04 Degrees 25 Minutes 24 Seconds East 12.95 feet to a point; thence South 02 Degrees 09 Minutes 39 Seconds East 12.95 feet to a point; thence South 00 Degrees 06 Minutes 01 Second West 12.95 feet to a point; thence South 02 Degrees 21 Minutes 40 Seconds West 12.95 feet to a point; thence South 04 Degrees 37 Minutes 23 Seconds West 12.95 feet to a point; thence South 06 Degrees 52 Minutes 55 Seconds West 12.95 feet to a point; thence South 09 Degrees 08 Minutes 33 Seconds West 12.95 feet to a point; thence South 16 Degrees 14 Minutes 21 Seconds West 15.91 feet to a point; thence South 14 Degrees 35 Minutes 59 Seconds West 15.91 feet to a point; thence South 12 Degrees 57 Minutes 46 Seconds West 15.91 feet to a point; thence South 11 Degrees 19 Minutes 24 Seconds West 15.91 feet to a point; thence South 09 Degrees 41 Minutes 16 Seconds West 15.91 feet to a point; thence South 08 Degrees 02 Minutes 49 Seconds West 15.91 feet to a point; thence South 06 Degrees 24 Minutes 39 Seconds West 15.91 feet to a point; thence South 04 Degrees 46 Minutes 17 Seconds West 15.91 feet to a point; thence South 03 Degrees 08 Minutes 09 Seconds West 15.91 feet to a point; thence South 09 Degrees 30 Minutes 00 Seconds West 34.37 feet to a point; thence South 05 Degrees 55 Minutes 19 Seconds West 30.92 feet to a point; thence South 12 Degrees 39 Minutes 59 Seconds West 41.23 feet to a point; thence South 10 Degrees 15 Minutes 35 Seconds West 9.39 feet to a point; thence South 07 Degrees 18 Minutes 26 Seconds West 9.39 feet to a point; thence South 04 Degrees 21 Minutes 23 Seconds West 9.39 feet to a point; thence South 01 Degree 24 Minutes 17 Seconds West 9.39 feet to a point; thence South 01 Degree 32 Minutes 49 Seconds East 9.39 feet to a point; thence South 04 Degrees 29 Minutes 49 Seconds East 9.39 feet to a point; thence South 07 Degrees 27 Minutes 01 Second East 9.39 feet to a point; thence South 10 Degrees 23 Minutes 54 Seconds East 9.39 feet to a point; thence South 13 Degrees 21 Minutes 11 Seconds East 9.39 feet to a point; thence South 07 Degrees 20 Minutes 17 Seconds East 11.48 feet to a point; thence South 09 Degrees 31 Minutes 16 Seconds East 11.48 feet to a point; thence South 11 Degrees 42 Minutes 10 Seconds East 11.48 feet to a point; thence South 13 Degrees 53 Minutes 03 Seconds East 11.48 feet to a point; thence South 16 Degrees 04 Minutes 01 Second East 11.48 feet to a point; thence South 18 Degrees 15 Minutes 10 Seconds East 11.48 feet to a point; thence South 20 Degrees 25 Minutes 54 Seconds East 11.48 feet to a point; thence South 33 Degrees 15 Minutes 33 Seconds East 10.75 feet to a point; thence South 30 Degrees 57 Minutes 28 Seconds East 10.74 feet to a point; thence South 28 Degrees 39 Minutes 36 Seconds East 10.75 feet to a point; thence South 26 Degrees 21 Minutes 39 Seconds East 10.74 feet to a point; thence South 24 Degrees 03 Minutes 47 Seconds East 10.75 feet to a point; thence South 21 Degrees 45 Minutes 52 Seconds East 10.75 feet to a point; thence South 19 Degrees 27 Minutes 50 Seconds East 10.74 feet to a point; thence South 17 Degrees 09 Minutes 57 Seconds East 10.75 feet to a point; thence South 26 Degrees 59 Minutes 33 Seconds East 37.81 feet to a point; thence South 17 Degrees 44 Minutes 31 Seconds East 27.99 feet to a point; thence South 32 Degrees 32 Minutes 04 Seconds East 10.99 feet to a point; thence South 29 Degrees 56 Minutes 11 Seconds East 10.99 feet to a point; thence South 27 Degrees 20 Minutes 18 Seconds East 10.99 feet to a point; thence South 24 Degrees 44 Minutes 06 Seconds East 10.99 feet to a point; thence South 22 Degrees 08 Minutes 19 Seconds East 10.99 feet to a point; thence South 13 Degrees 12 Minutes 09 Seconds East 16.95 feet to a point; thence South 14 Degrees 31 Minutes 34 Seconds East 16.95 feet to a point; thence South 15 Degrees 51 Minutes 11 Seconds East 16.95 feet to a point; thence South 18 Degrees 30 Minutes 6 Seconds East 16.95 feet to a point; thence South 17 Degrees 10 Minutes 29 Seconds East 16.95 feet to a point; thence South 02 Degrees 53 Minutes 39 Seconds East 47.58 feet to a point; thence North 88 Degrees 13 Minutes 31 Seconds West 1096.42 feet to a point; thence North 88 Degrees 13 Minutes 17 Seconds West 78.5 feet to a point; thence North 88 Degrees 13 Minutes 30 Seconds West 649.19 feet back to the Point of Beginning and containing 91.69 acres, more or less.

2. The boundaries of the above district as described and defined above are hereby established and shall be shown on the Official Zoning Maps of the City of Huntsville, Alabama, on file in the Planning Division of the Urban Development Department, in accordance with the various classifications herein enumerated and hereafter the regulations governing said district under the Zoning Ordinance of the City of Huntsville, Alabama, shall apply to the area so described.

3. This ordinance shall take effect from and after the date of publication.

ADOPTED this the _____ day of _____, 2025.

President of the City Council of
the City of Huntsville, Alabama

APPROVED this the _____ day of _____, 2025.

Mayor of the City of Huntsville,
Alabama

RESOLUTION NO. 25-354 (Cont'd)

ADOPTED this the 8th day of May, 2025.

/s/ John Meredith
President of the City Council
of the City of Huntsville, Alabama

APPROVED this the 8th day of May, 2025.

/s/ Tommy Battle
Mayor of the City of Huntsville,
Alabama

RESOLUTION NO. 25-356

WHEREAS, the Planning Commission of the City of Huntsville, Alabama, has given consideration to an amendment to the Zoning Ordinance, a synopsis of said amendment being as follows:

(1) Amend Zoning Ordinance Article 62 FLOOD HAZARD DISTRICT REGULATIONS, Section 62.7 - Standards for the Floodway Fringe District, Subsections 62.7.1, 62.7.2, and 62.7.4, to modify requirements.

(2) The first publication of this resolution, this synopsis, and the ordinance hereinafter set out at length shall be in the Speakin' Out News on the 28th day of May, 2025, and the second publication shall be one week thereafter on the 4th day of June, 2025, both of which publications shall be at least 15 days in advance of the date of the public hearing hereinafter referred to.

WHEREAS, it is the judgement and opinion of the City Council of the City of Huntsville, Alabama, that consideration should be given to the adoption of an amendment to the Zoning Ordinance of the City of Huntsville, Alabama, in accordance with said request;

NOW, THEREFORE, BE IT RESOLVED by the City Council of the City of Huntsville, Alabama, as follows:

1. That the City Council of the City of Huntsville, Alabama, shall meet at 5:30 p.m. on the 26th day of June, 2025, in the Council Chambers of the City of Huntsville Administration Building at 305 Fountain Circle in the City of Huntsville, Alabama, for the purpose of holding a public hearing at which time and place all persons, parties in interest and cities who desire, shall have an opportunity to be heard in opposition to or in favor of said Ordinance No. 25-357, which is introduced by the City Council of the City of Huntsville on the 8th day of May, 2025, amending the Zoning Ordinance of the City of Huntsville, Alabama.

2. That the proposed amendment to the Zoning Ordinance of the City of Huntsville, Alabama, is substantially in words and figures as follows:

ORDINANCE NO. 25-357

AN ORDINANCE TO AMEND THE ZONING ORDINANCES OF THE CITY OF HUNTSVILLE, ALABAMA

The public welfare requiring it, and under authority granted by Section 11-52-78 of the 1975 Code of Alabama, BE IT ORDAINED by the City Council for the City of Huntsville, Alabama, that the Zoning Ordinance of the City of Huntsville, Alabama, as adopted on the 21st day of March 1963, as amended, is hereby further amended as follows:

Section 1. Amend Zoning Ordinance ARTICLE 62 FLOOD HAZARD DISTRICT REGULATIONS, Section 62.7 - Standards for the Floodway Fringe District, Subsections 62.7.1, 62.7.2, and 62.7.4, to read as follows:

62.7.1 Residential Construction - New construction or substantial improvement of any residential structure shall have the lowest floor, including basement and garage, and all machinery/ equipment servicing the structure (including, but not limited to, duct work, elevator/lift equipment, etc.) elevated to at least one foot above the base flood elevation. When solid foundation perimeter walls are used to elevate a structure, openings sufficient to facilitate the unimpeded movement of flood water shall be provided in accordance with the standards of Section 62.7.3 and must be certified as such to the Building Inspector by a registered engineer or architect.

62.7.2 Non-Residential Construction - New construction or substantial improvement of any commercial, industrial or other non- residential structure shall either have the lowest floor, including basement and garages, and all machinery/ equipment servicing the structure (including, but not limited to, duct work, elevator/lift equipment, etc.) elevated to at least one foot above the base flood elevation or, together with attendant utility and sanitary facilities, be flood-proofed to one foot above the base flood elevation so that the structure is watertight with walls substantially impermeable to the passage of water and with structural components having the capability of resisting hydrostatic and hydrodynamic loads and effects of buoyancy. A registered engineer or architect shall certify that the design and methods of construction are in accordance with accepted standards of practice for meeting the provisions above and shall provide such certification to the Building Inspector that the standards of this subsection and Section 62.13.6 are satisfied.

62.7.4 For new manufactured home parks and subdivisions; for expansions to existing manufactured home parks and subdivisions; for existing manufactured home parks and subdivisions where the repair, reconstruction or improvement of the streets, utilities and pads equals or exceeds fifty percent of value of the streets, utilities and pads before the repair, reconstruction, or improvement commenced; for a manufactured home placed on a site in an existing manufactured home park or subdivision where a manufactured home has incurred substantial damage as a result of a flood; and for manufactured homes not placed in a manufactured park or subdivision, but which are permitted by the Board of Zoning Adjustment, the following are required:

(1) Stands or lots elevated on compacted fill so that the lowest floor of the manufactured home and all machinery/ equipment servicing the structure (including, but not limited to, duct work, elevator/lift equipment, etc.) will be one foot above the base flood elevation.

(2) Manufactured homes placed or substantially improved in an existing manufactured home park or subdivision may be elevated so that the lowest floor of the manufactured home and all machinery/ equipment servicing the structure (including, but not limited to, duct work, elevator/lift equipment, etc.) are elevated no lower than one foot above the level of the base flood elevation.

(3) Each stand or lot shall have proper surface drainage and shall be accessible to the manufactured home and prime mover or hauler.

(4) All manufactured homes must be securely anchored to an adequately anchored foundation system to resist flotation, collapse and lateral movement.

Section 2. This ordinance shall take effect from and after the date of its publication.

ADOPTED this the _____ day of _____, 2025.

President of the City Council of
the City of Huntsville, Alabama

APPROVED this the _____ day of _____, 2025.

Mayor of the City of Huntsville,
Alabama

RESOLUTION NO. 25-356 (Cont'd)

ADOPTED this the 8th day of May, 2025.

/s/ John Meredith
President of the City Council
of the City of Huntsville, Alabama

APPROVED this the 8th day of May, 2025.

/s/ Tommy Battle
Mayor of the City of Huntsville,
Alabama

Public Hearing Notice

In accordance with Section 23-4-1 et seq. of the Code of Alabama, 1975, as amended, you are hereby notified of a public hearing to be held at Huntsville City Hall in the Council Chamber, located at 305 Fountain Circle, Huntsville, Alabama 35801, at 5:30 p.m. on Thursday, June 26, 2025.

The purpose of the hearing is to receive public comments on an application submitted by the City of Huntsville for the vacation of a portion of a Right-of-way which is located at Memorial Parkway and McBroom Avenue, which is more particularly described as follows:

Legal Description of Right-of-Way

ROW VACATION TRACT 1

STATE OF ALABAMA:
MADISON COUNTY:

A PART OF THE PATTERSON SURVEY OF THE CITY OF HUNTSVILLE AS RECORDED IN DEED BOOK QQ, PAGE 109 IN THE OFFICE OF THE PROBATE JUDGE, MADISON COUNTY ALABAMA, MORE PARTICULARLY DESCRIBED AS COMMENCING AT THE NORTHEAST CORNER OF LOT 9 OF SAID SUBDIVSION. THEN SOUTH 64 DEGREES 21 MINUTES 05 SECONDS WEST, 301.05 FEET TO A POINT. THEN SOUTH 33 DEGREES 30 MINUTES 55 SECONDS EAST, 202.75 FEET TO A 1/2" REBAR. THEN CONTINUE SOUTH 33 DEGREES 30 MINUTES 55 SECONDS EAST, 234.46 FEET TO THE POINT OF BEGINNING.
THEN FROM THE POINT OF BEGINNING NORTH 69 DEGREES 44 MINUTES 05 SECONDS EAST A DISTANCE OF 82.42 FEET TO A POINT SET (THIS POINT AND ALL POINTS HEREINAFTER REFERRED TO AS "SET" ARE MAG NAILS WITH A DISC STAMPED "MULLINS LLC / CA #1001).
THEN SOUTH 14 DEGREES 41 MINUTES 42 SECONDS EAST A DISTANCE OF 15.39 FEET TO A POINT;
THEN NORTH 70 DEGREES 24 MINUTES 17 SECONDS EAST A DISTANCE OF 101.83 FEET TO A POINT SET ON THE WESTERN MARGIN OF THE RIGHT OF WAY OF MEMORIAL PARKWAY.
THEN ALONG SAID MARGIN SOUTH 20 DEGREES 49 MINUTES 14 SECONDS EAST A DISTANCE OF 11.32 FEET.
THEN SOUTH 71 DEGREES 10 MINUTES 06 SECONDS WEST A DISTANCE OF 102.34 FEET TO A POINT;
THEN SOUTH 72 DEGREES 59 MINUTES 33 SECONDS WEST A DISTANCE OF 75.74 FEET TO A POINT SET ON THE EASTERN MARGIN OF THE RIGHT OF WAY OF PLEASANT ROW.
THEN ALONG SAID MARGIN NORTH 33 DEGREES 30 MINUTES 55 SECONDS WEST A DISTANCE OF 21.53 FEET TO THE POINT OF BEGINNING AND CONTAINING 2904 SQUARE FEET, MORE OR LESS.

ROW VACATION TRACT 2

STATE OF ALABAMA:
MADISON COUNTY:

A PART OF THE PATTERSON SURVEY OF THE CITY OF HUNTSVILLE AS RECORDED IN DEED BOOK QQ, PAGE 109 IN THE OFFICE OF THE PROBATE JUDGE, MADISON COUNTY ALABAMA, MORE PARTICULARLY DESCRIBED AS COMMENCING AT THE NORTHEAST CORNER OF LOT 9 OF SAID SUBDIVSION. THEN SOUTH 64 DEGREES 21 MINUTES 05 SECONDS WEST, 301.05 FEET TO A POINT. THEN SOUTH 33 DEGREES 30 MINUTES 55 SECONDS EAST, 202.75 FEET TO A 1/2" REBAR. THEN CONTINUE SOUTH 33 DEGREES 30 MINUTES 55 SECONDS EAST, 234.46 FEET TO A POINT; THEN CONTINUE SOUTH 33 DEGREES 30 MINUTES 55 SECONDS EAST, 21.53 FEET TO THE POINT OF BEGINNING.
THEN FROM THE POINT OF BEGINNING NORTH 72 DEGREES 59 MINUTES 33 SECONDS EAST A DISTANCE OF 75.74 FEET TO A POINT SET (THIS POINT AND ALL POINTS HEREINAFTER REFERRED TO AS "SET" ARE MAG NAILS WITH A DISC STAMPED "MULLINS LLC / CA #1001):
THEN NORTH 71 DEGREES 10 MINUTES 06 SECONDS EAST A DISTANCE OF 102.34 FEET TO A POINT ON THE WESTERN MARGIN OF THE RIGHT OF WAY OF MEMORIAL PARKWAY.
THEN ALONG SAID MARGIN SOUTH 20 DEGREES 49 MINUTES 14 SECONDS EAST A DISTANCE OF 16.54 FEET TO A POINT.
THEN SOUTH 71 DEGREES 55 MINUTES 21 SECONDS WEST A DISTANCE OF 114.03 FEET TO A POINT.
THEN SOUTH 68 DEGREES 21 MINUTES 32 SECONDS WEST A DISTANCE OF 59.33 FEET TO A POINT SET ON THE EASTERN MARGIN OF THE RIGHT OF WAY OF PLEASANT ROW.
THEN ALONG SAID MARGIN NORTH 33 DEGREES 30 MINUTES 55 SECONDS WEST A DISTANCE OF 21.03 FEET TO THE POINT OF BEGINNING AND CONTAINING 2904 SQUARE FEET, MORE OR LESS.

This notice is being sent by United States mail at least 30 days prior to the scheduled hearing to all abutting owners, if any, and to all entities know to have facilities or equipment within the public Right-of-way of the street to be vacated, as their names and addresses appear on roll in the Madison County Revenue Commissioner's office or Madison County Tax Assessor's office, and shall be posted at the Madison County Courthouse and at Huntsville City Hall. Any citizen alleging to be affected by the proposed vacation may submit a written objection to the City Council or may request an opportunity to be heard at the public hearing held as required by law, any such objection or request may be directed to: Attn: Thomas Nunez, City Planning Department, 305 Fountain Circle, 4th Floor, Huntsville, Alabama 35801 or thomas.nunez@huntsvilleal.gov.

Redstone Arsenal Environmental Program
Public Comment Period – June 11, 2025 – July 9, 2025 Proposed Corrective Measures for Groundwater Contamination and No Further Action for Soils at RSA-115 and RSA-116.

Public comments are solicited on the Army's recommendation for corrective measures for groundwater and no further action for soils at two sites on Redstone Arsenal, RSA-115 and RSA-116. RSA-115, Inactive East Side Blowdown Lagoon at Test Area 5, and RSA-116, South Side Blowdown Lagoon at Test Area 5, are located in the southern portion of Redstone Arsenal, within groundwater units RSA-156 and RSA-157. RSA-115 consists of an unlined holding lagoon that was used for cooling water discharged during test firing of rocket engines at Test Stand 8877, and RSA-116 consists of a lined holding lagoon that was used for cooling water discharged during test firing of rocket engines at Test Stand 8879. Both sites are currently inactive.

Monitored natural attenuation is proposed for addressing groundwater contamination at RSA-115 an RSA-116. Natural processes will act to reduce the concentrations of metals, perchlorate, explosives, semi-volatile organic compounds, and volatile organic compounds in groundwater to below the cleanup goals. Periodic groundwater monitoring will be conducted to track the natural attenuation progress. Closure for groundwater will be achieved when the concentrations in groundwater reach the cleanup goals.

The Resource Conservation and Recovery Act facility investigation findings for both sites show that no contamination is present in surface media that would pose unacceptable risks to residential or commercial receptors or the environment.
All public comments will be reviewed and considered for the sites. The Alabama Department of Environmental Management has granted concurrence with the Army's recommendations. The final decision will be made after any public comments received on this notice and following consideration of comments received during the public comment period on the proposed modification to Redstone Arsenal's Alabama Hazardous Wastes Management and Minimization Act Permit.

Site documents are available for public viewing at the following locations:
- **Huntsville/Madison County Public Library, Heritage Room, 915, Monroe Street, Huntsville**
- **Triana Public Library, 357 Record Street, Triana**

For more information or to send comments about the proposed corrective measures at these sites, contact:
Ms. Amelia Hice, Public Affairs Specialist
4488 Martin Road, 2nd Fl. Rm A-213
Redstone Arsenal, Alabama 35898-5000
Telephone: (256) 876-0807
E-mail: amelia.r.hice.civ@army.mil

AUTO SALES