

**Public Comment Period –**

**June 24, 2026 – July 24, 2026**

**Proposed Corrective Measures for Groundwater Contamination at RSA-314.**

Public comments are solicited on the Army's recommendation for corrective measures for groundwater at RSA-314.

RSA-314, Used Oil Above-Ground Storage Tank (AST), and Spill Site, Building 3670, Operable Unit 24, is located in the northern portion of Redstone Arsenal. RSA-314 was the site of a former 10,000-gallon AST used to store Number 2 fuel oil and a fuel oil pump house, both associated with Building 3670. Building 3670 is currently used as a heavy equipment maintenance facility. Corrective measures are needed to address the presence of light non-aqueous phase liquid (LNAPL) and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds, explosives, and metals.

A combination of land use controls, long-term monitoring, monitored natural attenuation for groundwater, along with mobile-enhanced multiphase extraction and natural source zone depletion to remove the LNAPL comprise the selected remedy at RSA-314. Natural processes will act to reduce the concentrations of contaminants of concern in the groundwater to below the cleanup goals. Land use controls will prevent or minimize exposure to contaminated groundwater. Periodic groundwater monitoring will be conducted to track the natural attenuation progress. Closure for groundwater will be achieved when the concentrations in groundwater reach the cleanup goals.

All public comments will be reviewed and considered for the sites. The Alabama Department of Environmental Management has granted concurrence with the Army's recommendations. The final decision will be made after any public comments received on this notice and following consideration of comments received during the public comment period on the proposed modification to Redstone Arsenal's Alabama Hazardous Wastes Management and Minimization Act Permit.

Site documents are available for public viewing at the following locations:

- **Huntsville/Madison County Public Library, Heritage Room 915 Monroe Street, Huntsville**
- **Triana Public Library, 357 Record Street, Triana**

**For more information or to send comments about the proposed corrective measures at these sites, contact:**

Ms. Amelia Hice, Public Affairs Specialist  
4488 Martin Road, 2nd Fl. Rm A-213  
Redstone Arsenal, Alabama 35898-5000  
Telephone: (256) 876-0807

**E-mail: [amelia.r.hice.civ@army.mil](mailto:amelia.r.hice.civ@army.mil)**

